

# Appendix B2: References from experimental studies

- Aghaei, A. S., Donmez, B., Liu, C. C., He, D., Liu, G., Plataniotis, K. N., ... Sojoudi, Z. (2016). Smart driver monitoring: when signal processing meets human factors: in the driver's seat. *IEEE Signal Processing Magazine*, 33(6), 35–48. doi: 10.1109/MSP.2016.2602379
- Ahmed, M. M., Gaweesh, S., & Yang, G. (2019). A preliminary investigation into the impact of connected vehicle human-machine interface on driving behavior. *IFAC-PapersOnLine*, 51(34), 227–229. doi: 10.1016/j.ifacol.2019.01.051
- Albert, M., Lange, A., Schmidt, A., Wimmer, M., & Bengler, K. (2015). Automated driving—assessment of interaction concepts under real driving conditions. *Procedia Manufacturing*, 3, 2832–2839. doi: 10.1016/j.promfg.2015.07.767
- Ariansyah, D., Caruso, G., Ruscio, D., & Bordegoni, M. (2018). Analysis of autonomic indexes on drivers' workload to assess the effect of visual adas on user experience and driving performance in different driving conditions. *Journal of Computing and Information Science in Engineering*, 18(3), 031007-031007-11. doi: 10.1115/1.4039313
- Baltzer, M., Flemisch, F., Altendorf, E., & Meier, S. (2014). Mediating the interaction between human and automation during the arbitration processes in cooperative guidance and control of highly automated vehicles. In T. Ahram, W. Karwowski, & T. Marek (Eds.), *Proceedings of the 5th international conference on applied human factors and ergonomics AHFE*. Kraków, Poland.
- Bauerfeind, K., Stephan, A., Hartwich, F., Othersen, I., Hinzmann, S., & Bendewald, L. (2017). Analysis of potentials of an HMI-concept concerning conditional automated driving for system-inexperienced vs. system-experienced users. Retrieved from <http://www.hfes-europe.org/wp-content/uploads/2017/10/Bauerfeind2017.pdf>
- Befein, D., Boschet, J., & Neukum, A. (2018). Influence of non-driving-related tasks' motivational aspects and interruption effort on driver take-over performance in conditionally automated driving. Retrieved from <http://ddi2018.org/wp-content/uploads/2018/10/S9.3-Befein.pdf>
- Beggiato, M., Hartwich, F., Schleinitz, K., Krems, J., Othersen, I., & Petermann-Stock, I. (2015). What would drivers like to know during automated driving? information needs at different levels of automation. In 7. *Tagung Fahrerassistenzsysteme*.

- Beggiato, M., & Krems, J. F. (2013). The evolution of mental model, trust and acceptance of adaptive cruise control in relation to initial information. *Transportation research part F: traffic psychology and behaviour*, 18, 47–57.
- Benloucif, M., Sentouh, C., Floris, J., Simon, P., Boverie, S., & Popieul, J. (2016). *Cooperation between the driver and an automated driving system taking into account the driver's state*.
- Biondi, F., Getty, D., McCarty, M., Goethe, R., Cooper, J., & Strayer, D. (2018). The challenge of adas assessment: A scale for the assessment of the hmi of advanced driver assistance technology. *Transportation Research Record Journal of the Transportation Research Board*, 1–38.
- Biondi, F., Goethe, R., Cooper, J., & Strayer, D. (2017). *Partial-autonomous frenzy: Driving a level-2 vehicle on the open road*. doi: 10.1007/978-3-319-58475-1\_25
- Biondi, F., Leo, M., Gastaldi, M., Rossi, R., & Mulatti, C. (2017). How to drive drivers nuts: effect of auditory, vibrotactile, and multimodal warnings on perceived urgency, annoyance, and acceptability. *Transportation research record*, 2663(1), 34–39. doi: 10.3141/2663-05
- Biondi, F., Strayer, D. L., Rossi, R., Gastaldi, M., & Mulatti, C. (2017). Advanced driver assistance systems: Using multimodal redundant warnings to enhance road safety. *Applied ergonomics*, 58, 238–244. doi: 10.1016/j.apergo.2016.06.016
- Blanco, M., Atwood, J., Vasquez, H. M., Trimble, T. E., Fitchett, V. L., Radlbeck, J., ... Cullinane, B. (2015). *Human factors evaluation of level 2 and level 3 automated driving concepts* (Digital). The National Academies of Sciences, Engineering, and Medicine.
- Blanco, M., Atwood, J., Vasquez, H. M., Trimble, T. E., Fitchett, V. L., Radlbeck, J., ... Russell, S. M. (2016). Automated vehicles: take-over request and system prompt evaluation. In *Road vehicle automation 3* (pp. 111–119). Springer. doi: 10.1007/978-3-319-40503-2\_9
- Blömacher, K., Nöcker, G., & Huff, M. (2018). The role of system description for conditionally automated vehicles. *Transportation research part F: traffic psychology and behaviour*, 54, 159–170. doi: 10.1016/j.trf.2018.01.010
- Bouquier, T. (2016). Introducing user-in-the-loop quantitative testing into automotive hmi development process. In J. Langheim (Ed.), *Energy consumption and autonomous driving* (pp. 225–239). Cham: Springer International Publishing.
- Bout, M., Brenden, A. P., Klingegård, M., Habibovic, A., & Böckle, M.-P. (2017). A head-mounted display to support teleoperations of shared automated vehicles. In *Proceedings of the 9th International Conference on Automotive User Interfaces and Interactive Vehicular Applications Adjunct* (pp. 62–66). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/3131726.3131758> doi: 10.1145/3131726.3131758
- Brandt, T., Sattel, T., & Bohm, M. (2007, June). Combining haptic human-machine interaction with predictive path planning for lane-keeping and collision avoidance systems. In *2007 IEEE Intelligent Vehicles Symposium*

- (p. 582-587). doi: 10.1109/IVS.2007.4290178
- Braunagel, C., Rosenstiel, W., & Kasneci, E. (2017). Ready for take-over? a new driver assistance system for an automated classification of driver take-over readiness. *IEEE Intelligent Transportation Systems Magazine*, 9(4), 10–22. doi: 10.1109/MITS.2017.2743165
- Brockmann, M., Allgaier, A., Timofeev, M., & Becker, S. (2016). Integrated hmi concept for driver assistance and automation. In B. Weyers & A. Dittmar (Eds.), *Mensch und computer 2016 – workshopband*. Aachen: Gesellschaft für Informatik e.V.
- Butmee, T., & C. Lansdown, T. (2017). Moving between automated and manual driving: mental workload and performance implications. In *H-workload 2017: The first international symposium on human mental workload*. Dublin Institute of Technology. doi: 10.21427/D7K91Z
- Clark, J. R., Stanton, N. A., & Revell, K. M. (2018). Conditionally and highly automated vehicle handover: A study exploring vocal communication between two drivers. *Transportation Research Part F: Traffic Psychology and Behaviour*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1369847817307246> doi: <https://doi.org/10.1016/j.trf.2018.06.008>
- Cramer, S., & Klohr, J. (2019). Announcing automated lane changes: Active vehicle roll motions as feedback for the driver. *International Journal of Human-Computer Interaction*, 35(11), 980-995. Retrieved from <https://doi.org/10.1080/10447318.2018.1561790> doi: 10.1080/10447318.2018.1561790
- Damböck, D., Kienle, M., Bengler, K., & Bubb, H. (2011). The h-metaphor as an example for cooperative vehicle driving. In J. A. Jacko (Ed.), *Human-computer interaction. towards mobile and intelligent interaction environments* (pp. 376–385). Berlin, Heidelberg: Springer Berlin Heidelberg.
- De Nijs, S. (2011, aug). The power of haptic guidance [MSc. thesis]. Retrieved from <https://repository.tudelft.nl/islandora/object/uuid:8b8e120e-5821-4b70-9114-c243a55c9f40>
- Diels, C., & Thompson, S. (2018). Information expectations in highly and fully automated vehicles. In N. A. Stanton (Ed.), *Advances in Human Aspects of Transportation* (pp. 742–748). Cham: Springer International Publishing.
- Dogan, E., Rahal, M.-C., Deborne, R., Delhomme, P., Kemeny, A., & Perrin, J. (2017). Transition of control in a partially automated vehicle: effects of anticipation and non-driving-related task involvement. *Transportation research part F: traffic psychology and behaviour*, 46, 205–215. doi: 10.1016/j.trf.2017.01.012
- Dziennus, M., Kelsch, J., & Schieben, A. (2016). Ambient light based interaction concept for an integrative driver assistance system-a driving simulator study. In (pp. 171–182).
- Ekman, F., Johansson, M., & Sochor, J. (2016). To see or not to see: The effect of object recognition on users’ trust in ”automated vehicles”. In *Proceedings of the 9th Nordic Conference on Human-Computer Interaction*

- (pp. 42:1–42:4). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/2971485.2971551> doi: 10.1145/2971485.2971551
- Ekman, F., Johansson, M., & Sochor, J. (2017). Creating appropriate trust in automated vehicle systems: A framework for HMI design. *IEEE Transactions on Human-Machine Systems*, 48(1), 95–101. doi: 10.1109/THMS.2017.2776209
- Eom, H., & Lee, S. (2015). Human-automation interaction design for adaptive cruise control systems of ground vehicles. *Sensors*, 15(6), 13916–13944. doi: 10.3390/s150613916
- Ercan, Z., Carvalho, A., Gokasan, M., & Borrelli, F. (2017). Modeling, identification, and predictive control of a driver steering assistance system. *IEEE Transactions on Human-Machine Systems*, 47(5), 700–710. doi: 10.1109/THMS.2017.2717881
- Eriksson, A., & Stanton, N. A. (2017). Driving performance after self-regulated control transitions in highly automated vehicles. *Human factors*, 59(8), 1233–1248. doi: 10.1177/0018720817728774
- Fagerlönner, J., Lindberg, S., & Sirkka, A. (2015). Combined auditory warnings for driving-related information. In *Proceedings of the Audio Mostly 2015 on Interaction With Sound* (pp. 11:1–11:5). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/2814895.2814924> doi: 10.1145/2814895.2814924
- Faltaous, S., Baumann, M., Schneegass, S., & Chuang, L. L. (2018). Design guidelines for reliability communication in autonomous vehicles. In *Proceedings of the 10th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (pp. 258–267). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/3239060.3239072> doi: 10.1145/3239060.3239072
- Fank, J., & Christian Knies, L. P. J. R. K. B., Frank Diermeyer. (2017). Factors for user acceptance of cooperative assistance systems: A two-step study assessing cooperative driving. In *8th Fachtagung Fahrerassistenz*. München.
- Farah, H., & Koutsopoulos, H. (2012). Infrastructure-to-vehicle communications: Impact on driver behavior and safety from european demonstration project. *Ever Excelling Semper Excellens*, 65-84.
- Farooq, A., Evreinov, G., Raisamo, R., Mäkinen, E., Nukarinen, T., & Majeed, A. A. (2014, Dec). Developing novel multimodal interaction techniques for touchscreen in-vehicle infotainment systems. In *2014 International Conference on Open Source Systems Technologies* (p. 32-42). doi: 10.1109/ICOSST.2014.7029317
- Feenstra, P., & van der Horst, R. (2006). *Driver behaviour in motorway car-following transitions and driver support systems*. Intelligent Transport Systems (ITS).
- Feldhütter, A., Gold, C., Schneider, S., & Bengler, K. (2017). How the duration of automated driving influences take-over performance and gaze behavior. In *Advances in ergonomic design of systems, products and processes* (pp. 309–318). Springer. doi: 10.1007/978-3-662-53305-5\_22

- Feldhütter, A., Härtwig, N., Kurpiers, C., Hernandez, J. M., & Bengler, K. (2019). Effect on mode awareness when changing from conditionally to partially automated driving. In S. Bagnara, R. Tartaglia, S. Albolino, T. Alexander, & Y. Fujita (Eds.), *Proceedings of the 20th Congress of the International Ergonomics Association (IEA 2018)* (pp. 314–324). Cham: Springer International Publishing. doi: 10.1007/978-3-319-96074-6\_34
- Feldhütter, A., Segler, C., & Bengler, K. (2018). Does shifting between conditionally and partially automated driving lead to a loss of mode awareness? In N. A. Stanton (Ed.), *Advances in Human Aspects of Transportation* (pp. 730–741). Cham: Springer International Publishing.
- Feldhütter, A., Gold, C., Hüger, A., & Bengler, K. (2016). Trust in automation as a matter of media influence and experience of automated vehicles. *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, 60(1), 2024–2028. Retrieved from <https://doi.org/10.1177/1541931213601460> doi: 10.1177/1541931213601460
- Flemisch, F., Kelsch, J., Löper, C., Schieben, A., Schindler, J., & Heesen, M. (2008). Cooperative control and active interfaces for vehicle assistance and automation. In *FISITA World automotive congress* (Vol. 1, pp. 301–310). Munich, Germany.
- Forster, Y., Hergeth, S., Naujoks, F., Beggiato, M., Krems, J. F., & Keinath, A. (2019). Learning to use automation: Behavioral changes in interaction with automated driving systems. *Transportation Research Part F: Traffic Psychology and Behaviour*, 62, 599–614. doi: 10.1016/j.trf.2019.02.013
- Forster, Y., Naujoks, F., & Neukum, A. (2016). Your turn or my turn?: Design of a human-machine interface for conditional automation. In *Proceedings of the 8th international conference on automotive user interfaces and interactive vehicular applications* (pp. 253–260). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/3003715.3005463> doi: 10.1145/3003715.3005463
- Forster, Y., Naujoks, F., & Neukum, A. (2017, June). Increasing anthropomorphism and trust in automated driving functions by adding speech output. In *2017 IEEE Intelligent Vehicles Symposium (IV)* (p. 365–372). doi: 10.1109/IVS.2017.7995746
- Forster, Y., Naujoks, F., Neukum, A., & Huestegge, L. (2017). Driver compliance to take-over requests with different auditory outputs in conditional automation. *Accident Analysis & Prevention*, 109, 18–28. doi: 10.1016/j.aap.2017.09.019
- Forsyth, B. A., & MacLean, K. E. (2005). Predictive haptic guidance: Intelligent user assistance for the control of dynamic tasks. *IEEE transactions on visualization and computer graphics*, 12(1), 103–113. doi: 10.1109/TVCG.2006.11
- Frison, A.-K., Wintersberger, P., Liu, T., & Riener, A. (2019). Why do you like to drive automated?: A context-dependent analysis of highly automated driving to elaborate requirements for intelligent user interfaces. In *Proceedings of the 24th international conference on intelligent user interfaces* (pp. 528–537). New York, NY, USA: ACM. Retrieved from <http://>

- doi.acm.org/10.1145/3301275.3302331 doi: 10.1145/3301275.3302331
- Gauerhof, L., Kürzl, A., & Lienkamp, M. (2015). ADAS for the communication between automated and manually driven cars. In *7. Tagung Fahrerassistenz*. München.
- Gold, C., Körber, M., Hohenberger, C., Lechner, D., & Bengler, K. (2015). Trust in automation—before and after the experience of take-over scenarios in a highly automated vehicle. *Procedia Manufacturing*, 3, 3025–3032. doi: 10.1016/j.promfg.2015.07.847
- Gonçalves, J., Olaverri-Monreal, C., & Bengler, K. (2015, Sep.). Driver capability monitoring in highly automated driving: From state to capability monitoring. In *2015 IEEE 18th International Conference on Intelligent Transportation Systems* (p. 2329-2334). doi: 10.1109/ITSC.2015.376
- Govindarajan, V., & Bajcsy, R. (2017). Human modeling for autonomous vehicles: Reachability analysis, online learning, and driver monitoring for behavior prediction.
- Griffiths, P., & Gillespie, R. B. (2004, March). Shared control between human and machine: haptic display of automation during manual control of vehicle heading. In *12th international symposium on haptic interfaces for virtual environment and teleoperator systems, 2004. haptics '04. proceedings*. (p. 358-366). doi: 10.1109/HAPTIC.2004.1287222
- Guo, C., Sentouh, C., Popieul, J.-C., Haué, J.-B., Langlois, S., Loeillet, J.-J., . . . That, T. N. (2019). Cooperation between driver and automated driving system: Implementation and evaluation. *Transportation Research Part F: Traffic Psychology and Behaviour*, 61, 314 - 325. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1369847816306623> (Special TRF issue: Driving simulation) doi: <https://doi.org/10.1016/j.trf.2017.04.006>
- Habibovic, A., Andersson, J., Nilsson, J., Nilsson, M., & Edgren, C. (2017). Command-based driving for tactical control of highly automated vehicles. In N. A. Stanton, S. Landry, G. Di Bucchianico, & A. Vallicelli (Eds.), *Advances in Human Aspects of Transportation* (pp. 499–510). Cham: Springer International Publishing. doi: 10.1007/978-3-319-41682-3\_42
- Haspiel, J., Du, N., Meyerson, J., Robert Jr., L. P., Tilbury, D., Yang, X. J., & Pradhan, A. K. (2018). Explanations and expectations: Trust building in automated vehicles. In *Companion of the 2018 ACM/IEEE International Conference on Human-Robot Interaction* (pp. 119–120). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/3173386.3177057> doi: 10.1145/3173386.3177057
- Häuslschmid, R., von Buelow, M., Pfleging, B., & Butz, A. (2017). Supporting trust in autonomous driving. In *Proceedings of the 22nd international conference on intelligent user interfaces* (pp. 319–329). doi: 10.1145/3025171.3025198
- Hernandez, A. E. G. (2018). *Cooperative driver assistance system for the lane change* (Doctoral Thesis, Instituto de Ciências Matemáticas e de Computação). doi: 10.11606/T.55.2018.tde-24072018-161113
- Hesse, T., Schieben, A., Heesen, M., Dziennus, M., Griesche, S., & Köster, F.



- (2013). Interaction design for automation initiated steering manoeuvres for collision avoidance. In *6. Tagung Fahrerassistenzsysteme*. Technische Universität München.
- Hirokawa, M., Uesugi, N., Furugori, S., Kitagawa, T., & Suzuki, K. (2012). A haptic instruction based assisted driving system for training the reverse parking. In *2012 IEEE International Conference on Robotics and Automation* (p. 3713-3718). doi: 10.1109/ICRA.2012.6225193
- Hirsch, M., Diederichs, F., Widloither, H., Graf, R., & Bischoff, S. (2017, sep). Sleep and take-over in automated driving. In *Conference: 8th International Congress on Transportation Research ICTR*.
- Hoc, J.-M., Mars, F., Milleville-Pennel, I., Jolly, É., Netto, M., & Blosseville, J.-M. (2006). Human-machine cooperation in car driving for lateral safety: delegation and mutual control. *Le travail humain*, 69(2), 153–182. doi: 10.3917/th.692.0153
- Hock, P., Kraus, J., Walch, M., Lang, N., & Baumann, M. (2016). Elaborating feedback strategies for maintaining automation in highly automated driving. In *Proceedings of the 8th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (pp. 105–112). doi: 10.1145/3003715.3005414
- Hofauer, S., Michel, B., Weise, S., Karmann, A. J., Diermeyer, F., Stephan, A., ... Bendewald, L. (2018). HMI Strategy – Lateral and Longitudinal Control. In K. Bengler, J. Drücke, S. Hoffmann, D. Manstetten, & A. Neukum (Eds.), *UR:BAN Human Factors in Traffic: Approaches for Safe, Efficient and Stress-free Urban Traffic* (pp. 105–118). Wiesbaden: Springer Fachmedien Wiesbaden. Retrieved from [https://doi.org/10.1007/978-3-658-15418-9\\_6](https://doi.org/10.1007/978-3-658-15418-9_6) doi: 10.1007/978-3-658-15418-9\_6
- Holländer, K., & Pfleging, B. (2018). Preparing drivers for planned control transitions in automated cars. In *Proceedings of the 17th International Conference on Mobile and Ubiquitous Multimedia* (pp. 83–92). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/3282894.3282928> doi: 10.1145/3282894.3282928
- Howard, M., Sundareswara, R., Daily, M., Bhattacharyya, R., Kaplan, S., Mundhenk, N., ... Neely, H. (2013, Feb). Using tactile displays to maintain situational awareness during driving. In *2013 IEEE International Multi-Disciplinary Conference on Cognitive Methods in Situation Awareness and Decision Support (CogSIMA)* (p. 228-237). doi: 10.1109/CogSIMA.2013.6523852
- Jeong, H., & Liu, Y. (2018). Cognitive modeling of remote-manual and voice controls for in-vehicle human-automation systems. In *Companion of the 2018 ACM/IEEE International Conference on Human-Robot Interaction* (pp. 135–136). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/3173386.3176958> doi: 10.1145/3173386.3176958
- Ji, X., Yang, K., Na, X., Lv, C., & Liu, Y. (2019). Shared steering torque control for lane change assistance: a stochastic game-theoretic approach. *IEEE Transactions on Industrial Electronics*, 66(4), 3093–3105. doi: 10.1109/TIE.2018.2844784

- Jiménez, F., Naranjo, J. E., Sánchez, S., Serradilla, F., Pérez, E., Hernández, M. J., & Ruiz, T. (2018). Communications and driver monitoring aids for fostering sae level-4 road vehicles automation. *Electronics*, 7(10). Retrieved from <https://www.mdpi.com/2079-9292/7/10/228> doi: 10.3390/electronics7100228
- Johns, M., Mok, B., Talamonti, W., Sibi, S., & Ju, W. (2017, Oct). Looking ahead: Anticipatory interfaces for driver-automation collaboration. In *2017 IEEE 20th International Conference on Intelligent Transportation Systems (ITSC)* (p. 1-7). doi: 10.1109/ITSC.2017.8317762
- Karatas, N., Tamura, S., Fushiki, M., & Okada, M. (2018). The effects of driving agent gaze following behaviors on human-autonomous car interaction. In S. S. Ge et al. (Eds.), *Social Robotics* (pp. 541–550). Cham: Springer International Publishing.
- Katzourakis, D. I., Velenis, E., Holweg, E., & Happee, R. (2014). Haptic steering support for driving near the vehicle’s handling limits: Test-track case. *IEEE Transactions on Intelligent Transportation Systems*, 15(4), 1781–1789. doi: 10.1109/TITS.2014.2318520
- Kelsch, J., Dziennus, M., & Köster, F. (2015, feb). Cooperative lane change assistant: Background, implementation & evaluation. In *Proceedings to AAET 2015* (p. 65-85). Braunschweig, Germany,: AAET. doi: 10.13140/2.1.3663.9523
- Kerschbaum, P., Lorenz, L., & Bengler, K. (2015, June). A transforming steering wheel for highly automated cars. In *2015 IEEE Intelligent Vehicles Symposium (IV)* (p. 1287-1292). doi: 10.1109/IVS.2015.7225893
- Kienle, M., Damböck, D., Bubb, H., & Bengler, K. (2013). The ergonomic value of a bidirectional haptic interface when driving a highly automated vehicle. *Cognition, technology & work*, 15(4), 475–482. doi: 10.1007/s10111-012-0243-6
- Kim, K. T., Jin Woo Kim, & Wooyong Han. (2016). The user interface based on electromyography analysis to takeover driving mode in autonomous vehicle. In *2016 IEEE Transportation Electrification Conference and Expo, Asia-Pacific (ITEC Asia-Pacific)* (p. 697-701). doi: 10.1109/ITEC-AP.2016.7513043
- Kim, N., Jeong, K., Yang, M., Oh, Y., & Kim, J. (2017). "Are you ready to take-over?": An exploratory study on visual assistance to enhance driver vigilance. In *Proceedings of the 2017 CHI Conference Extended Abstracts on Human Factors in Computing Systems* (pp. 1771–1778). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/3027063.3053155> doi: 10.1145/3027063.3053155
- Kraus, J. M., Sturn, J., Reiser, J. E., & Baumann, M. (2015). Anthropomorphic agents, transparent automation and driver personality: Towards an integrative multi-level model of determinants for effective driver-vehicle cooperation in highly automated vehicles. In *Adjunct Proceedings of the 7th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (pp. 8–13). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/2809730.2809738> doi:



10.1145/2809730.2809738

- Kuehn, M., Vogelpohl, T., & Vollrath, M. (2017). Takeover times in highly automated driving (level 3). In *25th International Technical Conference on the Enhanced Safety of Vehicles (ESV) National Highway Traffic Safety Administration*. National Highway Traffic Safety Administration (NHTSA).
- Langlois, S., That, T. N., & Mermillod, P. (2016). Virtual head-up displays for augmented reality in cars: A user testing to validate the congruence. In *Proceedings of the European Conference on Cognitive Ergonomics* (pp. 15:1–15:8). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/2970930.2970946> doi: 10.1145/2970930.2970946
- Langner, T., Seifert, D., Fischer, B., Goehring, D., Ganjineh, T., & Rojas, R. (2016). Traffic awareness driver assistance based on stereovision, eye-tracking, and head-up display. In *2016 IEEE International Conference on Robotics and Automation (ICRA)* (p. 3167-3173). doi: 10.1109/ICRA.2016.7487485
- Lapoehn, S., Dziennus, M., Utesch, F., Kelsch, J., Schieben, A., Dotzauer, M., ... Köster, F. (2016). Interaction design for nomadic devices in highly automated vehicles. In B. Weyers & A. Dittmar (Eds.), *Mensch und Computer 2016 – Workshopband*. Aachen: Gesellschaft für Informatik e.V. doi: 10.18420/muc2016-ws08-0006
- Large, D., Banks, V., Burnett, G., Baverstock, S., & Skrypchuk, L. (2017). Exploring the behaviour of distracted drivers during different levels of automation in driving. In *International Conference on Driver Distraction and Inattention (DDI2017)*. Paris, France.
- Larsson, P., Johansson, E., Söderman, M., & Thompson, D. (2015). Interaction design for communicating system state and capabilities during automated highway driving. *Procedia Manufacturing*, 3, 2784 - 2791. Retrieved from <http://www.sciencedirect.com/science/article/pii/S2351978915007362> (6th International Conference on Applied Human Factors and Ergonomics (AHFE 2015) and the Affiliated Conferences, AHFE 2015) doi: <https://doi.org/10.1016/j.promfg.2015.07.735>
- Lau, C. P., Harbluk, J. L., Burns, P. C., & Yue El-Hage, M. (2018). The influence of interface design on driver behavior in automated driving. Retrieved from <https://bit.ly/2X73mYlf>
- Lee, J., Kim, N., Imm, C., Kim, B., Yi, K., & Kim, J. (2016). A question of trust: An ethnographic study of automated cars on real roads. In *Proceedings of the 8th international conference on automotive user interfaces and interactive vehicular applications* (pp. 201–208). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/3003715.3005405> doi: 10.1145/3003715.3005405
- Lee, S. H., & Eom, H. (2015). Design of driver-vehicle interface to reduce mode confusion for adaptive cruise control systems. In *Adjunct proceedings of the 7th international conference on automotive user interfaces and interactive vehicular applications* (pp. 67–71). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/2809730.2809757> doi: 10.1145/2809730.2809757

- Li, S., Blythe, P., Guo, W., & Namdeo, A. (2018). Investigation of older driver's takeover performance in highly automated vehicles in adverse weather conditions. *IET Intelligent Transport Systems*, 12(9), 1157–1165. doi: 10.1049/iet-its.2018.0104
- Llaneras, R. E., Cannon, B. R., & Green, C. A. (2017). Strategies to assist drivers in remaining attentive while under partially automated driving: Verification of human-machine interface concepts. *Transportation research record*, 2663(1), 20–26. doi: 10.3141/2663-03
- Manawadu, U. E., Hayashi, H., Ema, T., Kawano, T., Kamezaki, M., & Sugano, S. (2018, July). Tactical-level input with multimodal feedback for unscheduled takeover situations in human-centered automated vehicles. In *2018 IEEE/ASME International Conference on Advanced Intelligent Mechatronics (AIM)* (p. 634-639). doi: 10.1109/AIM.2018.8452227
- Manawadu, U. E., Hayashi, H., & Mitsuhiro, K. (2018, jun). Human-agent collaborative control in automated vehicles for takeover situations in dynamic unstructured urban environments. *IEEE*. Retrieved from [https://manihsieh.com/wp-content/uploads/2018/06/ICRA18\\_rt-dune\\_manawadu.pdf](https://manihsieh.com/wp-content/uploads/2018/06/ICRA18_rt-dune_manawadu.pdf)
- McCall, J. C., & Trivedi, M. M. (2007, Feb). Driver behavior and situation aware brake assistance for intelligent vehicles. *Proceedings of the IEEE*, 95(2), 374-387. doi: 10.1109/JPROC.2006.888388
- Meier-Arendt, G. (2018, Apr 01). Interaction concepts for automated driving. *ATZ worldwide*, 120(4), 18–23. Retrieved from <https://doi.org/10.1007/s38311-018-0014-y> doi: 10.1007/s38311-018-0014-y
- Merat, N., & Jamson, A. H. (2009, jun). How do drivers behave in a highly automated car? In *Proceedings of the fifth international driving symposium on human factors in driver assessment, training and vehicle design* (p. 514-521). Big Sky, Montana. Iowa City, IA: Public Policy Center, University of Iowa. doi: 10.17077/drivingassessment.1365
- Meschtscherjakov, A. (2017). The steering wheel: A design space exploration. In G. Meixner & C. Müller (Eds.), *Automotive User Interfaces: Creating Interactive Experiences in the Car* (pp. 349–373). Cham: Springer International Publishing. Retrieved from [https://doi.org/10.1007/978-3-319-49448-7\\_13](https://doi.org/10.1007/978-3-319-49448-7_13) doi: 10.1007/978-3-319-49448-7\_13
- Mok, B., Johns, M., Yang, S., & Ju, W. (2017). Reinventing the wheel: Transforming steering wheel systems for autonomous vehicles. In *Proceedings of the 30th Annual ACM Symposium on User Interface Software and Technology* (pp. 229–241). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/3126594.3126655> doi: 10.1145/3126594.3126655
- Morgan, P. L., Voinescu, A., Alford, C., & Caleb-Solly, P. (2019). Exploring the usability of a connected autonomous vehicle human machine interface designed for older adults. In N. Stanton (Ed.), *Advances in Human Aspects of Transportation* (pp. 591–603). Cham: Springer International Publishing. doi: 10.1007/978-3-319-93885-1\_54
- Mueller, A., Ogrizek, M., Bier, L., & Abendroth, B. (n.d.). Design concept for a visual, vibrotactile and acoustic take-over request in a conditional

- automated vehicle during non-driving-related tasks.
- Mulder, M., Abbink, D. A., & Boer, E. R. (2012). Sharing control with haptics: Seamless driver support from manual to automatic control. *Human Factors*, 54(5), 786-798. Retrieved from <https://doi.org/10.1177/0018720812443984> (PMID: 23156623) doi: 10.1177/0018720812443984
- Naujoks, F., Forster, Y., Wiedemann, K., & Neukum, A. (2016). Speech improves human-automation cooperation in automated driving. In B. Weyers & A. Dittmar (Eds.), *Mensch und Computer 2016 – Workshopband*. Aachen: Gesellschaft für Informatik e.V. doi: 10.18420/muc2016-ws08-0007
- Naujoks, F., Forster, Y., Wiedemann, K., & Neukum, A. (2017a). A human-machine interface for cooperative highly automated driving. In N. A. Stanton, S. Landry, G. Di Bucchianico, & A. Vallicelli (Eds.), *Advances in Human Aspects of Transportation* (pp. 585–595). Cham: Springer International Publishing. doi: 10.1007/978-3-319-41682-3\_49
- Naujoks, F., Forster, Y., Wiedemann, K., & Neukum, A. (2017b). A human-machine interface for cooperative highly automated driving. In N. A. Stanton, S. Landry, G. Di Bucchianico, & A. Vallicelli (Eds.), *Advances in Human Aspects of Transportation* (pp. 585–595). Cham: Springer International Publishing. doi: 10.1155/2017/6105087
- Naujoks, F., Hergeth, S., Wiedemann, K., Schömig, N., & Keinath, A. (2018). Use cases for assessing, testing, and validating the human machine interface of automated driving systems. *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, 62(1), 1873-1877. Retrieved from <https://doi.org/10.1177/1541931218621426> doi: 10.1177/1541931218621426
- Naujoks, F., Höfling, S., Purucker, C., & Zeeb, K. (2018). From partial and high automation to manual driving: Relationship between non-driving related tasks, drowsiness and take-over performance. *Accident Analysis & Prevention*, 121, 28–42. doi: 10.1016/j.aap.2018.08.018
- Naujoks, F., Mai, C., & Neukum, A. (2014, jul). The effect of urgency of take-over requests during highly automated driving under distraction conditions. In W. K. T. Ahram & T. Marek (Eds.), *Proceedings of the 5th International Conference on Applied Human Factors and Ergonomics (AHFE)* (p. 431-438). Kraków, Poland: AHFE conference Krakow.
- Nilsson, J., Strand, N., Falcone, P., & Vinter, J. (2013). Driver performance in the presence of adaptive cruise control related failures: Implications for safety analysis and fault tolerance. In *2013 43rd Annual IEEE/IFIP Conference on Dependable Systems and Networks Workshop (DSN-W)* (p. 1-10). doi: 10.1109/DSNW.2013.6615531
- Niu, D., Terken, J., & Eggen, B. (2018). Anthropomorphizing information to enhance trust in autonomous vehicles. *Human Factors and Ergonomics in Manufacturing & Service Industries*, 28(6), 352-359. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1002/hfm.20745> doi: 10.1002/hfm.20745
- Olaverri-Monreal, C., Kumar, S., & Díaz-Álvarez, A. (2018). Automated driv-

- ing: Interactive automation control system to enhance situational awareness in conditional automation. In *2018 IEEE Intelligent Vehicles Symposium (IV)* (p. 1698-1703). doi: 10.1109/IVS.2018.8500367
- Othersen, I., Petermann-Stock, I., Schoemig, N., & Fuest, T. (2018). Method development and interaction cognitive driver take-over ability after piloted driving. *ATZelektronik worldwide*, 13(2), 28–33. doi: 10.1007/s38314-018-0015-z
- Payre, W., Cestac, J., & Delhomme, P. (2016). Fully automated driving: Impact of trust and practice on manual control recovery. *Human factors*, 58(2), 229–241. doi: 10.1177/0018720815612319
- Payre, W., & Diels, C. (2017). Human-machine interface design development for connected and cooperative vehicle features. In *International Conference on Applied Human Factors and Ergonomics* (pp. 415–422). doi: 10.1007/978-3-319-60441-1\_41
- Petchbordee, P. (2016). *Human-machine interface design of a level 3 automated vehicle for safe car-driver handover on* (Unpublished doctoral dissertation).
- Petermeijer, S., Doubek, F., & de Winter, J. (2017). Driver response times to auditory, visual, and tactile take-over requests: A simulator study with 101 participants. In *2017 IEEE International Conference on Systems, Man, and Cybernetics (SMC)* (pp. 1505–1510). doi: 10.1109/SMC.2017.8122827
- Petermeijer, S. M. (2017). *A vibrotactile interface to support the driver during the take-over process* (Dissertation). Technische Universität München, München.
- Pfleging, B. (2017). *Automotive user interfaces for the support of non-driving-related activities* (Doctoral dissertation, University of Stuttgart). doi: 10.18419/opus-9090
- Pokam, R., Chauvin, C., Debernard, S., & Langlois, S. (2015). Augmented reality interface design for autonomous driving. In *FAST-zero'15: 3rd International Symposium on Future Active Safety Technology Toward zero traffic accidents, 2015* (p. 145-146).
- Politis, I., Brewster, S., & Pollick, F. (2017). Using multimodal displays to signify critical handovers of control to distracted autonomous car drivers. *International Journal of Mobile Human Computer Interaction (IJMHCI)*, 9(3), 1–16. doi: 10.4018/ijmhci.2017070101
- Preuk, K., Stemmler, E., & Jipp, M. (2016). Does surrounding traffic benefit from an assisted driver with traffic light assistance system? *Transportation research part F: traffic psychology and behaviour*, 43, 302–314. doi: 10.1016/j.trf.2016.09.008
- Rau, P., Blanco, M., Atwood, J., Vasquez, H., Trimble, T., Fitchett, V., ... Russell, S. (2015). Human factors evaluation of level 2 and level 3 automated driving concepts. In *Proceedings of the enhanced safety of vehicles 24th annual meeting*. Retrieved from <http://www-esv.nhtsa.dot.gov/proceedings/24/files/24ESV-000428.PDF>
- Rezvani, T., Driggs-Campbell, K., Sadigh, D., Sastry, S. S., Seshia, S. A., &

- Bajcsy, R. (2016). Towards trustworthy automation: User interfaces that convey internal and external awareness. In *2016 IEEE 19th International Conference on Intelligent Transportation Systems (ITSC)* (pp. 682–688). doi: 10.1109/ITSC.2016.7795627
- Risto, M., & Martens, M. H. (2013). Factors influencing compliance to tactical driver advice: an assessment using a think-aloud protocol. In *16th International IEEE Conference on Intelligent Transportation Systems (ITSC 2013)* (pp. 1923–1928). doi: 10.1109/ITSC.2013.6728510
- Rittger, L., & Gerald Schmidt, N. S. C. A. G., Katharina Wiedemann. (2017). HMI for the anticipation of upcoming curvature in automated lateral control. In *8. Tagung Fahrerassistenz*. München.
- Rittger, L., & Götze, M. (2018). Hmi strategy – recommended action. In K. Bengler, J. Drücke, S. Hoffmann, D. Manstetten, & A. Neukum (Eds.), *UR:BAN Human Factors in Traffic: Approaches for Safe, Efficient and Stress-free Urban Traffic* (pp. 119–150). Wiesbaden: Springer Fachmedien Wiesbaden. Retrieved from [https://doi.org/10.1007/978-3-658-15418-9\\_7](https://doi.org/10.1007/978-3-658-15418-9_7) doi: 10.1007/978-3-658-15418-9\_7
- Ruijten, P., Terken, J., & Chandramouli, S. (2018). Enhancing trust in autonomous vehicles through intelligent user interfaces that mimic human behavior. *Multimodal Technologies and Interaction*, 2(4), 62. doi: 10.3390/mti2040062
- Sadeghian Borojeni, S., Boll, S. C., Heuten, W., Bühlhoff, H. H., & Chuang, L. (2018). Feel the movement: Real motion influences responses to take-over requests in highly automated vehicles. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems* (p. 246). doi: 10.1145/3173574.3173820
- Saffarian, M., Happee, R., Abbink, D., & Mulder, M. (2010). Investigating the functionality of different human machine interfaces for cooperative adaptive cruise control. *IFAC Proceedings Volumes*, 43(13), 25–30. doi: 10.3182/20100831-4-FR-2021.00006
- Sandhaus, H., & Hornecker, E. (2018). A woz study of feedforward information on an ambient display in autonomous cars. In *The 31st Annual ACM Symposium on User Interface Software and Technology Adjunct Proceedings* (pp. 90–92). doi: 10.1145/3266037.3266111
- Sbircea, D. (2017). *Driving in the future: a study on automotive interaction without a steering wheel* [MSc Final Project Report]. online. Retrieved from [https://uclic.ucl.ac.uk/content/2-study/4-current-taught-course/1-distinction-projects/1-17/sbircea\\_dennis.2017.pdf](https://uclic.ucl.ac.uk/content/2-study/4-current-taught-course/1-distinction-projects/1-17/sbircea_dennis.2017.pdf)
- Schartmüller, C., Riener, A., & Wintersberger, P. (2018). Steer-by-wifi: Lateral vehicle control for take-overs with nomadic devices. In *Adjunct Proceedings of the 10th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (pp. 121–126). doi: 10.1145/3239092.3265954
- Schwalk, M., Kalogerakis, N., & Maier, T. (2015). Driver support by a vibro-tactile seat matrix-recognition, adequacy and workload of tactile patterns in take-over scenarios during automated driving. *Procedia Manufacturing*,

- 3, 2466–2473. doi: 10.1016/j.promfg.2015.07.507
- Sentouh, C., Popieul, J.-C., Debernard, S., & Boverie, S. (2014). Human-machine interaction in automated vehicle: The abv project. *IFAC Proceedings Volumes*, 47(3), 6344–6349. doi: 10.3182/20140824-6-ZA-1003.01721
- Seppelt, B. D., & Lee, J. D. (2019). Keeping the driver in the loop: Dynamic feedback to support appropriate use of imperfect vehicle control automation. *International Journal of Human-Computer Studies*, 125, 66–80. doi: 10.1016/j.ijhcs.2018.12.009
- Shakeri, G., Williamson, J. H., & Brewster, S. (2018). *May the force be with you: Ultrasound haptic feedback for mid-air gesture interaction in cars*. Retrieved from <http://eprints.gla.ac.uk/165874/> doi: 10.1145/3239060.3239081
- Shen, S. (2016). *Quantifying drivers’ responses to failures of semi-autonomous vehicle systems* (Dissertation, Clemson University). Retrieved from [https://tigerprints.clemson.edu/all\\_dissertations/1664](https://tigerprints.clemson.edu/all_dissertations/1664)
- Sonoda, K., & Wada, T. (2017). Displaying system situation awareness increases driver trust in automated driving. *IEEE Transactions on Intelligent Vehicles*, 2(3), 185–193. doi: 10.1109/TIV.2017.2749178
- Staubach, M., Kassner, A., Fricke, N., Schießl, C., Brockman, M., & Kuck, D. (2012). Driver reactions on ecological driver feedback via different hmi modalities. In *Proceedings of the 19th World Congress on ITS. Vienna, Austria*.
- Steinberger, F., Schroeter, R., Foth, M., & Johnson, D. (2017). Designing gamified applications that make safe driving more engaging. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (pp. 2826–2839). doi: 10.1145/3025453.3025511
- Strand, N. (2014). *When driving automation fails* (Unpublished doctoral dissertation).
- Takada, Y., Boer, E. R., & Sawaragi, T. (2017). Driver assist system for human-machine interaction. *Cognition, Technology & Work*, 19(4), 819–836. doi: 10.1007/s10111-017-0439-x
- Talamonti, W., Tijerina, L., Blommer, M., Swaminathan, R., Curry, R., & Ellis, R. D. (2017). Mirage events & driver haptic steering alerts in a motion-base driving simulator: a method for selecting an optimal hmi. *Applied ergonomics*, 65, 90–104. doi: 10.1016/j.apergo.2017.05.009
- Talamonti, W. J. (2017). *Human-machine interface development for modifying driver lane change behavior in manual, automated, and shared control automated driving* (Dissertation, Wayne State University). Retrieved from [http://digitalcommons.wayne.edu/oa\\_dissertations/1747](http://digitalcommons.wayne.edu/oa_dissertations/1747)
- Telpaz, A., Rhindress, B., Zelman, I., & Tsimhoni, O. (2017). Using a vibrotactile seat for facilitating the handover of control during automated driving. *International Journal of Mobile Human Computer Interaction (IJMHCI)*, 9(3), 17–33. doi: 10.4018/ijmhci.2017070102
- Tijerina, L., & Curry, R. (2014). Assessing response time effects of forward collision warning hmis with central tendency, variance, and dominance



- tests. In *Proceedings of the Human Factors and Ergonomics Society Annual Meeting* (Vol. 58, pp. 2093–2097). doi: 10.1177/1541931214581440
- Toyoda, H., Domeyer, J., & Lenneman, J. (2017). How do changes in the external environment affect driving engagement in automated driving?—an exploratory study. In *Proceedings of the Ninth International Driving Symposium on Human Factors in Driver Assessment, Training and Vehicle Design* (p. 368–376). Manchester Village, Vermont. Iowa City: University of Iowa. doi: 10.17077/drivingassessment.1660
- Tscharn, R., Latoschik, M. E., Löffler, D., & Hurtienne, J. (2017). “stop over there”: natural gesture and speech interaction for non-critical spontaneous intervention in autonomous driving. In *Proceedings of the 19th ACM International Conference on Multimodal Interaction* (pp. 91–100). doi: 10.1145/3136755.3136787
- Ulmer, B., Fritz, H., Gern, A., Herberger, A., & Mehring, S. (2001). The comfort highway copilot—an advanced driving assistance system. *IFAC Proceedings Volumes*, 34(9), 285–290. doi: 10.1016/S1474-6670(17)41719-8
- van der Heiden, R. M., Janssen, C. P., Donker, S. F., Hardeman, L. E., Mans, K., & Kenemans, J. L. (2018). Susceptibility to audio signals during autonomous driving. *PloS one*, 13(8), e0201963. doi: 10.1371/journal.pone.0201963
- van Veen, T., Karjanto, J., & Terken, J. (2017). Situation awareness in automated vehicles through proximal peripheral light signals. In *Proceedings of the 9th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (pp. 287–292). doi: 10.1145/3122986.3122993
- Vlakveld, W., van Nes, N., de Bruin, J., Vissers, L., & van der Kroft, M. (2018). Situation awareness increases when drivers have more time to take over the wheel in a level 3 automated car: a simulator study. *Transportation research part F: traffic psychology and behaviour*, 58, 917–929. doi: 10.1016/j.trf.2018.07.025
- Vogelpohl, T., Kühn, M., Hummel, T., & Vollrath, M. (2019). Asleep at the automated wheel—sleepiness and fatigue during highly automated driving. *Accident Analysis & Prevention*, 126, 70–84. doi: 10.1016/j.aap.2018.03.013
- Voinescu, A., Morgan, P. L., Alford, C., & Caleb-Solly, P. (2018). Investigating older adults’ preferences for functions within a human-machine interface designed for fully autonomous vehicles. In *International Conference on Human Aspects of IT for the Aged Population* (pp. 445–462). doi: 10.1007/978-3-319-92037-5\_32
- Walch, M., Lange, K., Baumann, M., & Weber, M. (2015). Autonomous driving: investigating the feasibility of car-driver handover assistance. In *Proceedings of the 7th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (pp. 11–18). doi: 10.1145/2799250.2799268
- Walch, M., Sieber, T., Hock, P., Baumann, M., & Weber, M. (2016). Towards co-operative driving: Involving the driver in an autonomous vehicle’s decision

- making. In *Proceedings of the 8th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (pp. 261–268). doi: 10.1145/3003715.3005458
- Wandtner, B., Schömig, N., & Schmidt, G. (2018a). Effects of non-driving related task modalities on takeover performance in highly automated driving. *Human factors*, 60(6), 870–881. doi: 10.1177/0018720818768199
- Wandtner, B., Schömig, N., & Schmidt, G. (2018b). Secondary task engagement and disengagement in the context of highly automated driving. *Transportation research part F: traffic psychology and behaviour*, 58, 253–263. doi: 10.1016/j.trf.2018.06.001
- Wang, Y., He, S., Mohedan, Z., Zhu, Y., Jiang, L., & Li, Z. (2014). Design and evaluation of a steering wheel-mount speech interface for drivers’ mobile use in car. In *17th International IEEE Conference on Intelligent Transportation Systems (ITSC)* (pp. 673–678). doi: 10.1109/ITSC.2014.6957767
- Wang, Z., Kaizuka, T., & Nakano, K. (2018). Effect of haptic guidance steering on lane following performance by taking account of driver reliance on the assistance system. In *2018 IEEE International Conference on Systems, Man, and Cybernetics (SMC)* (pp. 2717–2723). doi: 10.1109/SMC.2018.00464
- Wang, Z., Zheng, R., Kaizuka, T., & Nakano, K. (2017). The effect of haptic guidance on driver steering performance during curve negotiation with limited visual feedback. In *2017 IEEE Intelligent Vehicles Symposium (IV)*, pages=600–605. doi: 10.1109/IVS.2017.7995784
- Wang, Z., Zheng, R., Kaizuka, T., Shimono, K., & Nakano, K. (2016). Evaluation of driver steering performance with haptic guidance under passive fatigued situation. In *2016 IEEE International Conference on Systems, Man, and Cybernetics (SMC)* (pp. 003334–003339). doi: 10.1109/SMC.2016.7844749
- Wardziński, A. (2006). The role of situation awareness in assuring safety of autonomous vehicles. In J. Górski (Ed.), *Computer Safety, Reliability, and Security* (pp. 205–218). Berlin, Heidelberg: Springer Berlin Heidelberg. doi: 10.1007/11875567\_16
- Wiedemann, K., Naujoks, F., Wörle, J., Kenntner-Mabiala, R., Kaussner, Y., & Neukum, A. (2018). Effect of different alcohol levels on take-over performance in conditionally automated driving. *Accident analysis & prevention*, 115, 89–97. doi: 10.1016/j.aap.2018.03.001
- Wulf, F., Rimini-Döring, M., Arnon, M., & Gauterin, F. (2014). Recommendations supporting situation awareness in partially automated driver assistance systems. *IEEE Transactions on Intelligent Transportation Systems*, 16(4), 2290–2296. doi: 10.1109/TITS.2014.2376572
- Wulf, F., Zeeb, K., Rimini-Döring, M., Arnon, M., & Gauterin, F. (2013). Effects of human-machine interaction mechanisms on situation awareness in partly automated driving. In *16th International IEEE Conference on Intelligent Transportation Systems (ITSC 2013)* (pp. 2012–2019). doi: 10.1109/ITSC.2013.6728525

- Yan, F., Weber, L., & Luedtke, A. (2014). Classifying driver's uncertainty for developing trustworthy assistance systems. In *Proceedings of the 8th Nordic Conference on Human-Computer Interaction: Fun, Fast, Foundational* (pp. 1019–1022). doi: 10.1145/2639189.2670265
- Young, M. S., & Stanton, N. A. (2007). What's skill got to do with it? vehicle automation and driver mental workload. *Ergonomics*, 50(8), 1324-1339. doi: 10.1080/00140130701318855