

Credit

CORRESPONDENCE
Version 1.1
by
Leiden SPSS Group
Leiden University
The Netherlands

Correspondence Table

Video	L-Und	L-Cal	L-Enc	L-Soc	Label L-Apo	L-Eff	L-Tol	L-Blu	L-Dis	Label
V-Und	28	2	2	0	0	0	0	0	0	Active Margin
V-Cal	1	16	1	13	0	0	1	0	0	32
V-Enc	1	2	28	0	0	1	0	0	0	32
V-Soc	0	6	0	26	0	0	0	0	0	32
V-Apo	1	0	0	0	31	0	0	0	0	32
V-Eff	1	1	0	0	0	25	0	5	0	32
V-Tol	1	1	0	0	0	0	25	2	3	32
V-Blu	0	0	0	0	0	0	0	29	3	32
V-Dis	0	0	0	0	0	0	1	2	29	32
Active Margin	33	28	31	39	31	26	27	38	35	32

Summary

Dimensi on	Singular Value	Inertia	Chi Square	Sig.	Proportion of Inertia		Confidence Singular Value	
					Accounted for	Cumulati ve	Standard Deviation	Correlati on 2
1	.985	.970			.177	.177	.013	.254
2	.962	.925			.168	.345	.011	
3	.906	.822			.150	.495		
4	.882	.778			.142	.637		
5	.829	.687			.125	.762		
6	.800	.640			.117	.878		
7	.746	.557			.101	.980		
8	.333	.111			.020	1.000		
Total		5.489	1580.896	<.001 <sup>a</sup>	1.000	1.000		

a. 64 degrees of freedom

Overview Row Points<sup>a</sup>


		Score in Dimension			Contribution				
					Of Point to Inertia of Dimension		Of Dimension to Inertia of Point		
Video	Mass	1	2	Inertia	1	2	1	2	Total
V-Und	.111	-.053	.769	.640	.000	.068	.000	.099	.099
V-Cal	.111	.253	1.095	.313	.007	.139	.022	.409	.432
V-Enc	.111	.168	1.066	.686	.003	.131	.004	.177	.182
V-Soc	.111	.266	1.255	.471	.008	.182	.016	.358	.374
V-Apo	.111	-2.750	-.475	.859	.853	.026	.963	.028	.992
V-Eff	.111	.444	-.482	.663	.022	.027	.032	.037	.070
V-Tol	.111	.488	-.706	.626	.027	.058	.042	.085	.127
V-Blu	.111	.578	-1.178	.589	.038	.160	.062	.252	.314
V-Dis	.111	.607	-1.345	.644	.042	.209	.062	.300	.362
Active Total	1.000			5.489	1.000	1.000			

a. Symmetrical  
normalization


Overview Column Points<sup>a</sup>


Label		Mass	Score in Dimension		Inertia	Contribution				Total
			1	2		Of Point to Inertia of Dimension		Of Dimension to Inertia of Point		
						1	2	1	2	
L-Und		.115	-.089	.694	.633	.001	.057	.001	.084	.085
L-Cal		.097	.247	1.023	.240	.006	.106	.024	.408	.432
L-Enc		.108	.159	1.090	.688	.003	.133	.004	.179	.183
L-Soc		.135	.266	1.250	.542	.010	.220	.017	.376	.393
L-Apo		.108	-2.792	-.494	.861	.852	.027	.960	.029	.989
L-Eff		.090	.440	-.439	.662	.018	.018	.026	.025	.051
L-Tol		.094	.491	-.689	.632	.023	.046	.035	.068	.103
L-Blu		.132	.566	-1.113	.587	.043	.170	.071	.268	.339
L-Dis		.122	.603	-1.327	.645	.045	.222	.067	.319	.386
Active Total		1.000			5.489	1.000	1.000			

a. Symmetrical  
normalization



# Column Points for Label Symmetrical Normalization





Warning # 3211

On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are invisible to statistical procedures and graphs which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.