

# approximate\_bayesian\_computation

## Parameters

cm\_name: abc\_0  
dataframe\_in: data\_0  
description: Approximate Bayesian Computation for Time Series  
diff\_func\_name: manhattan\_metrics  
diff\_func\_parameters: {}  
model\_method: approximate\_bayesian\_computation  
name: approximate\_bayesian\_computation  
parameters:  
    algorithm: pydream  
    convergence\_progress: true  
    decision\_variables:  
        - Manufacturing\_Time  
    n\_chains: 3  
    n\_draws: 15000  
    objectives:  
        - Manufacturer  
        - Export\_Port  
        - Transit\_Port  
        - Import\_Port  
        - Wholesales\_Distributor  
        - Retailer\_Amsterdam  
        - Retailer\_Utrecht  
        - Retailer\_Venlo  
    ranges\_variables:  
        - - 1  
          - 10  
    seed: 10  
report\_parameters: {}  
running\_time: 92019.50797629356  
type: calibrationmodel  
version: 1.0.0

## Results

Summary CalibrationModel with solutions:

	Manufacturing_Time	Distance
0	1.0	13.772067
1	1.0	13.772067
2	1.0	13.772067
3	1.0	13.772067

with the most optimal solution:

	Manufacturing_Time	Distance
0	1.0	13.772067
1	1.0	13.772067
2	1.0	13.772067
3	1.0	13.772067

with an acceptance percentage of [0.0005365526492287056, 0.0005365526492287056, 0.0004024144869215292, 0.0005365526492287056, 0.0005365526492287056, 0.0004024144869215292, 0.0005365526492287056, 0.0005365526492287056, 0.0004024144869215292, 0.0005365526492287056, 0.0005365526492287056,

[illegible]

[illegible]