

genetic_algorithm

```

cm_name: ga_25
dataframe_in: data_missing_25
description: Genetic Algorithm for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: genetic_algorithm
name: genetic_algorithm
parameters:
  algorithm: epsNSGAI1
  decision_variables:
    - Manufacturing_Time
  epsilons:
    - 1
  n_draws: 20000
  n_iterations: 100
  nfe: 15000
  objectives:
    - Manufacturer
    - Export_Port
    - Transit_Port
    - Import_Port
    - Wholesales_Distributor
    - Retailer_Amsterdam
    - Retailer_Utrecht
    - Retailer_Venlo
  population_size: 100
  ranges_variables:
    - - 1
    - 10
  seed: 15
report_parameters: {}
running_time: 358418.42778873444
type: calibrationmodel
version: 1.0.0

```

Results

Summary CalibrationModel with solutions

	Manufacturing_Time	Manufacturer	Export_Port	Transit_Port	Import_Port	Wholesales_Distributor
Retailer_Amsterdam		Retailer_Utrecht	Retailer_Venlo			
0	2.332391	2.781154	2.781154	2.781154	2.781154	2.781154
2.781154	2.781154					

[illegible]