


HV-20210708-H2TAPP


Sample Name HV-20210708-H2TAPP
Date collected 2021-07-08

Pulse sequence PROTON
Solvent dms

Temperature 25
Spectrometer tud0032283-vnmrs400

Study owner NOVAM-Veldhuizen
Operator NOVAM-Veldhuizen





ai cdc ph

SAMPLE		PRESATURATION	
date	Jul 8 2021	satmode	n
solvent	dms	wet	n
file	/home/walkup/vnmrsys/data/NOVAM-Veldhuizen/_20210708_HVV-20210708-H2TAPP_20210708_01/HVV-20210708-H2TAPP_PROTON_20210708_01.fid	SPECIAL	
ACQUISITION		temp	25.0
sw	7183.9	gain	48
at	2.281	spin	0
np	32768	hst	0.008
fb	4000	pw90	7.500
bs	32	alfa	10.000
d1	1.000	FLAGS	
nt	64	il	n
ct	64	in	n
TRANSMITTER		dp	y
tn	H1	hs	nn
sfrq	399.671	PROCESSING	
tof	0	fn	not used
tpwr	56	DISPLAY	
pw	3.750	sp	-1593.2
DECOUPLER		wp	7183.5
dn	C13	rfl	1593.6
dof	0	rfp	0
dm	nnn	rp	-177.4
decwave	W40_HCN5mm	lp	0
dpwr	37	PLOT	
dmf	29412	wc	252
		sc	8
		vs	371
		th	4

Plotname: HVV-20210708-H2TAPP_PROTON_20210708_01_plot01