

● checkpoint
 ● safe writeback
 ● discard content
 x bit pattern

	pw	rd	d	
...	x	x	x	①
R(a)	x	✓	x	②
R(b)	✓	✓	x	⑥
R(a)	✓	✓	x	

read-dominated
w/o WAR

	pw	rd	d	
...	x	x	x	
R(a)	x	✓	x	
W(a)	x	✓	✓	③
R(b)	x	✓	x	

read-dominated
w/ WAR

	pw	rd	d	
...	x	x	x	
R(a)	x	✓	x	
R(b)	✓	✓	x	
W(b)	✓	✓	✓	⑦
R(a)	x	✓	x	

pw & read-dominated
w/ WAR

	pw	rd	d	
...	x	x	x	
W(a)	x	x	✓	①
R(a)	x	x	✓	
R(b)	x	✓	x	

write-dominated
w/o WAR

	pw	rd	d	
...	x	x	x	
W(a)	x	x	✓	
R(a)	x	x	✓	
W(a)	x	x	✓	
R(b)	x	✓	x	

write-dominated
w/ WAR

	pw	rd	d	
...	x	x	x	
R(a)	x	✓	x	
W(b)	✓	x	✓	⑤
W(a)	✓	✓	✓	
R(a)	x	✓	x	

pw & write-dominated
w/ WAR