

## Appendix D2: References from theoretical studies

- Altendorf, E., Baltzer, M., Canpolat, Y., Lopez, D., Schreck, C., Weßel, G., & Flemisch, F. (2016). Automated driving using shared and cooperative guidance and control: Revisiting past research with a new model. *IFAC-PapersOnLine*, 49(19), 165–170. doi: 10.1016/j.ifacol.2016.10.480
- Altendorf, E., Baltzer, M., Heesen, M., Kienle, M., Weißgerber, T., & Flemisch, F. (2014). H-mode: A haptic-multimodal interaction concept for co-

- operative guidance and control of partially and highly automated vehicles. *Handbook of Driver Assistance Systems: Basic Information, Components and Systems for Active Safety and Comfort*, 1–16. doi: 10.1007/978-3-319-09840-1\_60-1
- Amanatidis, T., Langdon, P., & Clarkson, P. J. (2017). Toward an “equal-footing” human-robot interaction for fully autonomous vehicles. In *International Conference on Applied Human Factors and Ergonomics* (pp. 313–319). doi: 10.1007/978-3-319-60384-1\_30
- Barat, D., Fromion, A., Féron, S., Guen, L. L., & Lainé, V. (2017). 26-4: Invited paper: Automotive HMI: Present uses and future needs. In *SID Symposium Digest of Technical Papers* (Vol. 48, pp. 374–376). doi: 10.1002/sdtp.11633
- Bengler, K. (2017). Driver and driving experience in cars. In G. Meixner & C. Müller (Eds.), *Automotive User Interfaces: Creating Interactive Experiences in the Car* (pp. 79–94). Cham: Springer International Publishing. doi: 10.1007/978-3-319-49448-7\_3
- Bengler, K., Zimmermann, M., Bortot, D., Kienle, M., & Damböck, D. (2012). Interaction principles for cooperative human-machine systems. *IT-Information Technology Methoden und innovative Anwendungen der Informatik und Informationstechnik*, 54(4), 157–164. doi: 10.1524/itit.2012.0680
- Bradley, M., Langdon, P. M., & Clarkson, P. J. (2016). An inclusive design perspective on automotive hmi trends. In M. Antona & C. Stephanidis (Eds.), *Universal Access in Human-Computer Interaction. Users and Context Diversity* (pp. 548–555). Cham: Springer International Publishing. doi: 10.1007/978-3-319-40238-3\_52
- Carsten, O., & Martens, M. H. (2019, Feb 01). How can humans understand their automated cars? HMI principles, problems and solutions. *Cognition, Technology & Work*, 21(1), 3–20. Retrieved from <https://doi.org/10.1007/s10111-018-0484-0> doi: 10.1007/s10111-018-0484-0
- Choi, J., Kwon, Y., Jeon, J., Kim, K., Choi, H., & Jang, B. (2018, Oct). Conceptual design of driver-adaptive human-machine interface for digital cockpit. In *2018 International Conference on Information and Communication Technology Convergence (ICTC)* (p. 1005-1007). doi: 10.1109/ICTC.2018.8539644
- Costa, S., Simões, P., Costa, N., & Arezes, P. (2017, nov). A cooperative human-machine interaction warning strategy for the semi-autonomous driving context. In *Future Technologies Conference (FTC) 2017* (p. 155-161). Vancouver, Canada.
- Creaser, J. I., & Fitch, G. M. (2015). Human factors considerations for the design of level 2 and level 3 automated vehicles. In G. Meyer & S. Beiker (Eds.), *Road Vehicle Automation 2* (pp. 81–89). Cham: Springer International Publishing. doi: 10.1007/978-3-319-19078-5\_8
- Drezet, H., & Colombel, S. (2018). 62-1: Invited paper: HMI concept for autonomous car. In *SID Symposium Digest of Technical Papers* (Vol. 49, pp. 815–818). doi: 10.1002/sdtp.12277

- Du, Y., Qin, J., Zhang, S., Cao, S., & Dou, J. (2018). Voice user interface interaction design research based on user mental model in autonomous vehicle. In *International conference on human-computer interaction* (pp. 117–132). doi: 10.1007/978-3-319-91250-9\_10
- Flemisch, F., Altendorf, E., Canpolat, Y., Weßel, G., Baltzer, M., Lopez, D., ... Schutte, P. (2017). Uncanny and unsafe valley of assistance and automation: First sketch and application to vehicle automation. In *Advances in ergonomic design of systems, products and processes* (pp. 319–334). Springer. doi: 10.1007/978-3-662-53305-5\_23
- Flemisch, F., Schieben, A., Schoemig, N., Strauss, M., Lueke, S., & Heyden, A. (2011). Design of Human Computer Interfaces for Highly Automated Vehicles in the EU-Project HAVEit. In C. Stephanidis (Ed.), *Universal Access in Human-Computer Interaction. Context Diversity* (pp. 270–279). Berlin, Heidelberg: Springer Berlin Heidelberg. doi: 10.1007/978-3-642-21666-4\_30
- Flemisch, F., Winner, H., Bruder, R., & Bengler, K. (2014). Cooperative guidance, control and automation. *Handbook of Driver Assistance Systems: Basic Information, Components and Systems for Active Safety and Comfort*, 1–9. doi: 10.1007/978-3-319-09840-1\_58-1
- Flemisch, F. O., Adams, C. A., Conway, S. R., Goodrich, K. H., Palmer, M. T., & Schutte, P. C. (2003). *The H-Metaphor as a guideline for vehicle automation and interaction* (Technical Report No. 20040031835). Hampton, VA, United States: NASA Langley Research Center.
- Gaffary, Y., & Lécuyer, A. (2018). The use of haptic and tactile information in the car to improve driving safety: A review of current technologies. *Frontiers in ICT*, 5, 5. doi: 10.3389/fict.2018.00005
- Geyer, S., Hakuli, S., Winner, H., Franz, B., & Kauer, M. (2011). Development of a cooperative system behavior for a highly automated vehicle guidance concept based on the conduct-by-wire principle. In *2011 IEEE Intelligent Vehicles Symposium (IV)* (pp. 411–416). doi: 10.1109/IVS.2011.5940437
- Gotzig, H. (2014). Parking assistance. *Handbook of Driver Assistance Systems: Basic Information, Components and Systems for Active Safety and Comfort*, 1–13. doi: 10.1007/978-3-319-09840-1\_45-1
- Gowda, N., Ju, W., & Kohler, K. (2014). Dashboard design for an autonomous car. In *Adjunct Proceedings of the 6th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (pp. 1–4). doi: 10.1145/2667239.2667313
- Hakimi, H., Kamalrudin, M., Sidek, S., & Akmal, S. (2018). Trust requirements model for developing acceptable autonomous car. *Journal of Electrical and Electronic Engineering*, 6(2), 59–64. doi: 10.11648/j.jeee.20180602.14
- Hassoun, M., Laugier, C., Lefort, N., & Meizel, D. (1994, apr). An assistance system for diagnosis and monitoring of driving manoeuvres. In *IMACS International Symposium on Signal Processing, Robotics And Neural Networks*. Lille, France.
- Hesse, T., Engström, J., Johansson, E., Varalda, G., Brockmann, M., Rambaldini, A., ... Kanstrup, L. (2011). Towards user-centred devel-

- opment of integrated information, warning, and intervention strategies for multiple ADAS in the EU Project interactIVe. In C. Stephanidis (Ed.), *Universal Access in Human-Computer Interaction. Context Diversity* (pp. 280–289). Berlin, Heidelberg: Springer Berlin Heidelberg. doi: 10.1007/978-3-642-21666-4\_31
- Heymann, M., & Degani, A. (2013). Automated driving aids: Modeling, analysis, and interface design considerations. In *Proceedings of the 5th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (pp. 142–149). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/2516540.2516549> doi: 10.1145/2516540.2516549
- Hoc, J.-M., Young, M. S., & Blosseville, J.-M. (2009). Cooperation between drivers and automation: implications for safety. *Theoretical Issues in Ergonomics Science*, 10(2), 135–160. doi: 10.1080/14639220802368856
- Innerwinkler, P., Karci, A. E. H., Tarkiainen, M., Troglia, M., Kinav, E., Ozan, B., ... Ahiad, S. (2019). TrustVehicle – improved trustworthiness and weather-independence of conditionally automated vehicles in mixed traffic scenarios. In J. Dubbert, B. Müller, & G. Meyer (Eds.), *Advanced Microsystems for Automotive Applications 2018* (pp. 75–89). Cham: Springer International Publishing. doi: 10.1007/978-3-319-99762-9\_7
- Karakaya, B., Kalb, L., & Bengler, K. (2018, sep). Cooperative approach to overcome automation effects during the transition phase of conditional automated vehicles. In *12th Uni-DAS e.V. Workshop Fahrerassistenz und automatisiertes Fahren*. Walting (Altmühltal): Uni-DAS e. V.
- Khastgir, S., Birrell, S., Dhadyalla, G., & Jennings, P. (2017). Calibrating trust to increase the use of automated systems in a vehicle. In *Advances in human aspects of transportation* (pp. 535–546). Springer. doi: 10.1007/978-3-319-41682-3\_45
- Krähling, M., Lages, U., Griesche, S., Käthner, D., & Rojas, R. (2014, sep). Human-machine cooperation in highly automated driving. In *21st ITS World Congress*. Detroit, Michigan: Intelligent Transportation Society of America (ITSA).
- Kun, A. L., et al. (2018). Human-machine interaction for vehicles: Review and outlook. *Foundations and Trends® in Human-Computer Interaction*, 11(4), 201–293. doi: 10.1561/11000000069
- Lee, K. K., Lee, Y. T., & Xie, M. (1999). Designing a human vehicle interface for an intelligent community vehicle. In *Proceedings 199 IEEE/IEEJ/JSAI International Conference on Intelligent Transportation Systems (Cat. No.99TH8383)* (p. 740–745). doi: 10.1109/ITSC.1999.821153
- Lu, Z., & de Winter, J. C. (2015). A review and framework of control authority transitions in automated driving. *Procedia Manufacturing*, 3, 2510–2517. doi: 10.1016/j.promfg.2015.07.513
- Lu, Z., Happee, R., Cabrall, C. D., Kyriakidis, M., & de Winter, J. C. (2016). Human factors of transitions in automated driving: A general framework and literature survey. *Transportation research part F: traffic psychology and behaviour*, 43, 183–198. doi: 10.1016/j.trf.2016.10.007

- Mirnig, A. G., Gärtner, M., Laminger, A., Meschtscherjakov, A., Trösterer, S., Tscheligi, M., ... McGee, F. (2017). Control transition interfaces in semiautonomous vehicles: A categorization framework and literature analysis. In *Proceedings of the 9th International Conference on Automotive User Interfaces and Interactive Vehicular Applications* (pp. 209–220). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/3122986.3123014> doi: 10.1145/3122986.3123014
- Morgan, P. L., Voinescu, A., Williams, C., Caleb-Solly, P., Alford, C., Shergold, I., ... Pipe, A. (2018). An emerging framework to inform effective design of human-machine interfaces for older adults using connected autonomous vehicles. In N. A. Stanton (Ed.), *Advances in Human Aspects of Transportation* (pp. 325–334). Cham: Springer International Publishing. doi: 10.1007/978-3-319-60441-1\_33
- Navarro, J. (2017). Human-machine interaction theories and lane departure warnings. *Theoretical issues in ergonomics science*, 18(6), 519–547. doi: 10.1080/1463922X.2016.1243274
- Nees, A. (2017, jun). Exchanges of authority in automated vehicles: Display needs for handover and takeover requests. In *Adjunct proceedings of the workshop on new opportunities for auditory interactions in highly automated vehicles at ICAD2017*. ennsylvania State University. (Paper isn't online anymore)
- Norman, D. A. (2015). The human side of automation. In G. Meyer & S. Beiker (Eds.), *Road vehicle automation 2* (pp. 73–79). Cham: Springer International Publishing.
- Pantazopoulos, P., Altomare, L., Pagle, K., Toffetti, A., Lytrivis, P., & Amditis, A. (2016, oct). Designing a dual-display HMI system for connected vehicles: the AutoNet2030 approach. In *World Congress on Intelligent Transport Systems (ITSWC 2016)* (Vol. 23rd). Melbourne, Australia.
- Qin, J., Hao, Z., & Zhang, S. (2018). Interaction design of autonomous vehicle based on human mobility. In A. Marcus & W. Wang (Eds.), *Design, User Experience, and Usability: Users, Contexts and Case Studies* (pp. 363–374). Cham: Springer International Publishing. doi: 10.1007/978-3-319-91806-8\_28
- Saffarian, M., de Winter, J. C. F., & Happee, R. (2012). Automated driving: Human-factors issues and design solutions. *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, 56(1), 2296–2300. Retrieved from <https://doi.org/10.1177/1071181312561483> doi: 10.1177/1071181312561483
- Serrate, O., Berger, T., Tabary, D., & Kolski, C. (2008, jun). Towards context-aware interactions between humans and a self-organized cybercar system. In *27th European Annual Conference on Human Decision-Making and Manual Control*. Delft, The Netherlands: EAM'2008.
- Son, J., Park, S., Park, M., Park, J., Park, J., Kim, J., & Yun, Y. (2018). A simulator-based approach to assess take-over performance in a conditionally automated vehicle. In C. Stephanidis (Ed.), *Hci international 2018 – posters' extended abstracts* (pp. 398–403). Cham: Springer International

- Publishing. doi: 10.1007/978-3-319-92285-0\_54
- Terken, J., Levy, P., Wang, C., Karjanto, J., Yusof, N. M., Ros, F., & Zwaan, S. (2017). Gesture-based and haptic interfaces for connected and autonomous driving. In I. L. Nunes (Ed.), *Advances in human factors and system interactions* (pp. 107–115). Cham: Springer International Publishing. doi: 10.1007/978-3-319-41956-5\_11
- Umachigi, A. S. (2017, mar). *Human computer interaction (hmi) in autonomous vehicles for alerting driver during overtaking and lane changing*. [Course Assignment]. Retrieved from [http://www.csl.mtu.edu/classes/cs4760/www/projects/s17/grad10/www/HCI\\_Topic\\_Paper.pdf](http://www.csl.mtu.edu/classes/cs4760/www/projects/s17/grad10/www/HCI_Topic_Paper.pdf)
- van den Beukel, A. P., & van der Voort, M. C. (2011). Human-centered challenges and contribution for the implementation of automated driving. In G. Meyer & J. Valldorf (Eds.), *Advanced microsystems for automotive applications 2011* (pp. 225–235). Berlin, Heidelberg: Springer Berlin Heidelberg. doi: 10.1007/978-3-642-21381-6\_22
- van den Beukel, A. P., & van der Voort, M. C. (2015). Design considerations on user-interaction for semi-automated driving. In J. Wismans (Ed.), *FISITA 2014 world automotive congress* (pp. 1–8). University of Twente.
- van Waterschoot, B., & van der Voort, M. (2009). Implementing human factors within the design process of advanced driver assistance systems (adas). In D. Harris (Ed.), *Engineering psychology and cognitive ergonomics* (pp. 461–470). Berlin, Heidelberg: Springer Berlin Heidelberg. doi: 10.1007/978-3-642-02728-4\_49
- Walch, M., Mühl, K., Kraus, J., Stoll, T., Baumann, M., & Weber, M. (2017). From car-driver-handovers to cooperative interfaces: Visions for driver–vehicle interaction in automated driving. In G. Meixner & C. Müller (Eds.), *Automotive User Interfaces: Creating Interactive Experiences in the Car* (pp. 273–294). Cham: Springer International Publishing. Retrieved from [https://doi.org/10.1007/978-3-319-49448-7\\_10](https://doi.org/10.1007/978-3-319-49448-7_10) doi: 10.1007/978-3-319-49448-7\_10
- Young, K., Koppel, S., & Charlton, J. (2017). Toward best practice in human machine interface design for older drivers: A review of current design guidelines. *Accident Analysis & Prevention*, 106, 460 - 467. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0001457516302068> doi: 10.1016/j.aap.2016.06.010
- Yun, H., Lee, J. W., Yang, H. D., & Yang, J. H. (2018). Experimental design for multi-modal take-over request for automated driving. In C. Stephanidis (Ed.), *HCI International 2018 – Posters’ Extended Abstracts* (pp. 418–425). Cham: Springer International Publishing. doi: 10.1007/978-3-319-92285-0\_57
- Zhang, Y., Yu, C., & Shi, Y. (2018). Designing autonomous driving HMI system: Interaction need insight and design tool study. In C. Stephanidis (Ed.), *Hci international 2018 – posters’ extended abstracts* (pp. 426–433). Cham: Springer International Publishing. doi: 10.1007/978-3-319-92285-0\_58
- Zimmermann, M., & Bengler, K. (2013, June). A multimodal interaction concept for cooperative driving. In *2013 IEEE intelligent vehicles symposium*

(IV) (p. 1285-1290). doi: 10.1109/IVS.2013.6629643  
Zou, Qijie, Li, Haoyu, Zhang, Rubo, & Pei, Tengda. (2018). A survey of cooperative driving between auxiliary autonomous system and human driver. In *MATEC web conf.* (Vol. 160). Retrieved from <https://doi.org/10.1051/mateconf/201816005001> doi: 10.1051/mateconf/201816005001